

Oiseaux Nicheurs Communs de Bretagne Bilan site


Informations Générales

Département : **29**
Commune : **Querrien**
Année : **2023**
Site : **VU6008**
Information du Site : **Maille**
Longueur du parcours : **4.31** km
Surface prospectée : **40.97** ha
Observateur : **Jeanne Villaneau**



O.R.A.
Observatoire Régional de l'Avifaune
Bretagne

Itinéraire



Signification des codes atlas

Nous rappelons ici la signification des 19 codes atlas de Faune Bretagne (seulement 16 dans Naturalist)

Code atlas	Signification
1	Espèce de passage - Non nicheuse
2	Présence dans son habitat durant sa période de nidification
3	Mâle chanteur (ou cris de nidification) ou tambourinage en période de reproduction
4	Couple présent dans son habitat durant sa période de nidification
5	Comportement territorial (chant, querelles avec des voisins, etc.) observé sur un même territoire 2 journées différentes à 7 jours ou plus d'intervalle
6	Comportement nuptial : parades, copulation ou échange de nourriture entre adultes
7	Visite d'un site de nidification probable, distinct d'un site de repos
8	Cris d'alarme ou tout autre comportement agité indiquant la présence d'un nid ou de jeunes aux alentours
10	Transport de matériel ou construction d'un nid, forage d'une cavité (pics)
12	Nid vide ayant été utilisé ou coquilles d'œufs de la présente saison
13	Jeunes fraîchement envolés (espèces nidicoles) ou poussins (espèces nidifuges)
14	Adulte gagnant, occupant ou quittant le site d'un nid ; comportement révélateur d'un nid occupé dont le contenu ne peut être vérifié (trop haut ou dans une cavité)
15	Adulte transportant un sac fécal
16	Adulte transportant de la nourriture pour les jeunes durant sa période de nidification
18	Nid vu avec un adulte couvant
19	Nid contenant des œufs ou des jeunes (vus ou entendus)

Suite à l'automatisation des bilans, quelques erreurs ont pu s'insérer dans le dénombrement et les dessins de territoires

Rappels

Protocole ONCB

- C'est un recensement des passereaux et des colombidés qui s'effectue en parcourant un itinéraire (établi et vérifié au préalable).

- Les oiseaux coloniaux (moineaux, martinets, hirondelles) et ceux ayant un territoire trop vaste (rapaces, pics) sont considérés hors protocole.

- Au total, 3 passages sont réalisés sur les mois d'avril, mai et juin.

- Chaque passage est à faire durant la première quinzaine du mois et en début de matinée, si possible à terminer avant 11h.

Territoires théoriques

Territoires dont le centre et l'étendue correspondent peu voire pas du tout aux territoires réels des oiseaux.

3 conditions permettent de le délimiter :

- **Preuve de nidification** : adulte couvant, jeunes, transport de nourriture etc ;
- **Individu présentant un comportement territorial** : mâle chanteur ou en parade, cris d'alarme… ;
- **2 contacts « groupés » sans comportement territorial** : critère concernant les espèces discrètes visuellement et/ou acoustiquement (Mésange à longue queue, Bergeronnette grise…).

Synthèse des données par espèces

Données avec NA :
P1/P2/P3 : espèce non contactée
Nombre de territoires : espèce hors protocole ou sans territoire.

	P1	P2	P3	Nombre de contacts	Nombre territoire théorique	Liste rouge nat. 2016	Liste rouge rég. 2021	Responsabilité biologique régionale
Accenteur mouchet	4	1	2	7	6	LC	LC	modérée
Bergeronnette des ruisseaux	1	1	NA	2	2	LC	LC	modérée
Bergeronnette grise	NA	1	NA	1	1	LC	LC	modérée
Bouvreuil pivoine	NA	NA	1	1	1	VU	NT	modérée
Bruant zizi	1	NA	NA	1	1	LC	LC	modérée
Chardonneret élégant	NA	1	NA	1	1	VU	LC	élevée
Fauvette à tête noire	7	22	27	56	33	LC	LC	modérée
Fauvette des jardins	NA	1	1	2	2	NT	LC	modérée
Geai des chênes	NA	1	NA	1	1	LC	LC	modérée
Grimpereau des jardins	1	4	6	11	9	LC	LC	modérée
Grive draine	2	NA	NA	2	2	LC	LC	modérée
Grive musicienne	6	2	3	11	8	LC	LC	modérée
Grosbec casse-noyaux	1	NA	NA	1	1	LC	NT	mineure
Linotte mélodieuse	1	NA	NA	1	1	VU	LC	modérée
Merle noir	1	8	7	16	14	LC	LC	modérée
Mésange à longue queue	1	NA	NA	1	1	LC	LC	modérée
Mésange bleue	13	18	6	37	21	LC	LC	modérée
Mésange charbonnière	12	7	8	27	17	LC	LC	modérée
Mésange huppée	1	NA	1	2	1	LC	LC	modérée
Mésange nonnette	1	1	1	3	3	LC	LC	modérée
Pie bavarde	NA	NA	1	1	1	LC	LC	modérée
Pigeon ramier	4	7	12	23	17	LC	LC	modérée
Pinson des arbres	20	14	19	53	27	LC	LC	modérée
Pouillot véloce	26	25	21	72	33	LC	LC	modérée
Roitelet à triple bandeau	6	6	7	19	11	LC	LC	modérée
Rougegorge familier	26	38	36	100	48	LC	LC	modérée
Sittelle torchepot	4	NA	2	6	5	LC	LC	modérée
Troglodyte mignon	18	23	28	69	36	LC	LC	modérée


Légende générale


Contacts

- Premier passage : avril
- Deuxième passage : mai
- Troisième passage : juin
- 3 Code atlas

- Itinéraire
- Territoire théorique



Accenteur mouchet
3
3
3
3
3
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Bergeronnette des ruisseaux
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Bergeronnette grise
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Bouvreuil pivoine
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Bruant zizi
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Chardonneret élégant
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Coucou gris
3
2
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Fauvette des jardins
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Fauvette à tête noire
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Geai des chênes
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Gobemouche gris
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Grimpereau des jardins
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Grive draine
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Grive musicienne
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Grosbec casse-noyaux
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Hirondelle rustique
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Linotte mélodieuse
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Merle noir
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
18
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Moineau domestique
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Mésange bleue
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Mésange charbonnière
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Mésange huppée
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Mésange nonnette
3
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Mésange à longue queue
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Pic vert
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Pic épeiche
3
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Pie bavarde
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Pigeon ramier
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community



Pinson des arbres
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Pouillot véloce
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Roitelet à triple bandeau
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Rougegorge familier
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Sittelle torchepot
3
3
3
3
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Troglodyte mignon
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community