Oiseaux Nicheurs Communs de Bretagne Bilan site

Informations Générales

Département : **56**
Commune : **Ploeren**
Année : **2023**
Site : **WT0977**
Information du Site : **Maille**
Longueur du parcours : **6.45** km
Surface prospectée : **53.29** ha
Observateur : **Yves Guiter**

O.R.A.
Observatoire Régional de l'Avifaune
Bretagne

Itinéraire



Signification des codes atlas

Nous rappelons ici la signification des 19 codes atlas de Faune Bretagne (seulement 16 dans Naturalist)

Code atlas	Signification
1	Espèce de passage - Non nicheuse
2	Présence dans son habitat durant sa période de nidification
3	Mâle chanteur (ou cris de nidification) ou tambourinage en période de reproduction
4	Couple présent dans son habitat durant sa période de nidification
5	Comportement territorial (chant, querelles avec des voisins, etc.) observé sur un même territoire 2 journées différentes à 7 jours ou plus d'intervalle
6	Comportement nuptial : parades, copulation ou échange de nourriture entre adultes
7	Visite d'un site de nidification probable, distinct d'un site de repos
8	Cris d'alarme ou tout autre comportement agité indiquant la présence d'un nid ou de jeunes aux alentours
10	Transport de matériel ou construction d'un nid, forage d'une cavité (pics)
12	Nid vide ayant été utilisé ou coquilles d'œufs de la présente saison
13	Jeunes fraîchement envolés (espèces nidicoles) ou poussins (espèces nidifuges)
14	Adulte gagnant, occupant ou quittant le site d'un nid ; comportement révélateur d'un nid occupé dont le contenu ne peut être vérifié (trop haut ou dans une cavité)
15	Adulte transportant un sac fécal
16	Adulte transportant de la nourriture pour les jeunes durant sa période de nidification
18	Nid vu avec un adulte couvant
19	Nid contenant des œufs ou des jeunes (vus ou entendus)

Suite à l'automatisation des bilans, quelques erreurs ont pu s'insérer dans le dénombrement et les dessins de territoires

Rappels

Protocole ONCB

- C'est un recensement des passereaux et des colombidés qui s'effectue en parcourant un itinéraire (établi et vérifié au préalable).

- Les oiseaux coloniaux (moineaux, martinets, hirondelles) et ceux ayant un territoire trop vaste (rapaces, pics) sont considérés hors protocole.

- Au total, 3 passages sont réalisés sur les mois d'avril, mai et juin.

- Chaque passage est à faire durant la première quinzaine du mois et en début de matinée, si possible à terminer avant 11h.

Territoires théoriques

Territoires dont le centre et l'étendue correspondent peu voire pas du tout aux territoires réels des oiseaux.

3 conditions permettent de le délimiter :

- **Preuve de nidification** : adulte couvant, jeunes, transport de nourriture etc ;
- **Individu présentant un comportement territorial** : mâle chanteur ou en parade, cris d'alarme… ;
- **2 contacts « groupés » sans comportement territorial** : critère concernant les espèces discrètes visuellement et/ou acoustiquement (Mésange à longue queue, Bergeronnette grise…).

Synthèse des données par espèces

Données avec NA :
P1/P2/P3 : espèce non contactée
Nombre de territoires : espèce hors protocole ou sans territoire.

	P1	P2	P3	Nombre de contacts	Nombre territoire théorique	Liste rouge nat. 2016	Liste rouge rég. 2021	Responsabilité biologique régionale
Accenteur mouchet	11	9	10	30	17	LC	LC	modérée
Chardonneret élégant	4	NA	2	6	3	VU	LC	élevée
Étourneau sansonnet	4	7	4	15	7	LC	LC	modérée
Fauvette à tête noire	5	7	6	18	10	LC	LC	modérée
Grive draine	NA	2	NA	2	2	LC	LC	modérée
Grive musicienne	3	2	3	8	3	LC	LC	modérée
Merle noir	22	23	20	65	21	LC	LC	modérée
Mésange à longue queue	NA	NA	3	3	1	LC	LC	modérée
Mésange bleue	24	17	27	68	22	LC	LC	modérée
Mésange charbonnière	18	8	10	36	14	LC	LC	modérée
Pie bavarde	4	6	5	15	5	LC	LC	modérée
Pigeon ramier	7	9	11	27	11	LC	LC	modérée
Pinson des arbres	24	13	21	58	24	LC	LC	modérée
Pouillot véloce	16	9	13	38	15	LC	LC	modérée
Rougegorge familier	19	12	18	49	27	LC	LC	modérée
Serin cini	2	1	2	5	4	VU	LC	modérée
Sittelle torchepot	4	1	3	8	4	LC	LC	modérée
Tourterelle turque	4	2	6	12	5	LC	LC	modérée
Troglodyte mignon	4	9	4	17	9	LC	LC	modérée
Verdier d'Europe	5	3	2	10	4	VU	VU	élevée

Légende générale

Contacts

- Premier passage : avril
- Deuxième passage : mai
- Troisième passage : juin
- 3 Code atlas

- Itinéraire
- Territoire théorique


Accenteur mouchet
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Chardonneret élégant
2
2
2
4
4
4
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Choucas des tours
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Corneille noire
2
2
2
2
2
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Coucou gris
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Fauvette à tête noire
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Geai des chênes
2
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Grimpereau des jardins
2
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Grive draine
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Grive musicienne
3
3
3
2
3
3
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Hirondelle de fenêtre
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Merle noir
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Moineau domestique
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Mésange bleue
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Mésange charbonnière
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Mésange à longue queue
2
2
13
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Pie bavarde
18
2
2
2
14
2
16
4
4
2
2
4
2
4
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Pigeon indéterminé
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Pigeon ramier
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Pinson des arbres
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Pouillot véloce
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Rougegorge familier
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Serin cini
3
3
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community


Sittelle torchepot
2
3
4
16
2
3
3
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Tourterelle turque
2
2
2
3
2
2
2
16
2
3
4
3
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Troglodyte mignon
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Verdier d'Europe
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

Étourneau sansonnet
16
2
2
2
16
2
2
16
16
2
16
2
16
100 m
500 ft
Passage
P1
P2
P3
Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community